Long service life

Supplied with In-line lubricator to prevent excess wear and extend service life



AIR OPERATED OIL PUMPS (R-SERIES)



Robust and durable design

Heavy duty aluminium and steel air motor construction

Maximize performance life

Large exhaust ports integrated to prevent icing



R-SERIES™ AIR OPERATED OIL PUMPS

The R-SERIES[™] air operated oil pumps are the optimal heavy duty solution for medium to large workshop and mobile applications.

The ideal choice for remote mounting or integration into oil systems, these air operated stub and drum pumps have been designed to provide maximum performance and long service life.

TECHNICAL SPECIFICATIONS

- Suitable for engine and gear oils up to SAE 140, auto trans and hydraulic fluid, diesel, kerosene and anti-freeze/anti-boil
- Min/Max air pressure: 400/1030kPa (60/150psi)
- Air inlet: 1/4" NPT (F)
- Pump outlet: 3/4" BSP (F), Pump inlet: 1" BSP (F)
- Supplied with air line lubricator & 2" bung adaptor
- Available in both stub or drum types

Recommended to be used with:



TD20-BLACKS: Wall bracket

HG Series gun:Oil control guns



TB25s:

Telescopic suction tube



AIR OPERATED OIL PUMPS

R-SERIES™ 1:1 AIR OPERATED DRUM PUMP R100T-01



TECHNICAL SPECIFICATIONS

- 1:1 Ratio pump for short distances
- Free flow delivery up to 60LPM
- Min air compressor: 0.22m³/min (8 cfm)

REPAIR KITS

- R100-1K: R100 Major Service Kit
- R100-2K: R100 Seal Kit
- ST003AS: Suction Tube Set

R-SERIES™ 3:1 AIR OPERATED STUB PUMP R300S-01



TECHNICAL SPECIFICATIONS

- 3:1 Ratio pump for medium flow/larger distances
- Free flow delivery up to 23LPM
- Min air compressor: 0.16m³/min (6 cfm)
- R300T-01: R-SERIES™ 3:1 air operated drum pump

REPAIR KITS

- R300-2K: R300 Major Service Kit
- R300-3K: R300 Seal Kit
- ST003AS: Suction Tube Set



AIR OPERATED OIL PUMPS

R-SERIES™ 5:1 AIR OPERATED STUB PUMP R500S-01



TECHNICAL SPECIFICATIONS

- 5:1 Ratio pump for high flow rates/longer distances
- Free flow delivery up to 32LPM
- Min air compressor: 0.3m³/min (10 cfm)
- R500T-01: R-SERIES™ 5:1 air operated drum pump

REPAIR KITS

- R500-2K: R500 Major Service Kit
- R500-3K: R500 Seal Kit
- ST003AS: Suction Tube Set

R-SERIES™ 10:1 AIR OPERATED STUB PUMP R1000S-01



TECHNICAL SPECIFICATIONS

- 10:1 Ratio pump for medium flow/long distances
- Free flow delivery up to 18LPM
- Min air compressor: 0.5m³/min (18 cfm)
- R1000T-01: R-SERIES™ 10:1 air operated drum pump

REPAIR KITS

- R1000-1K: R1000 Major Service Kit
- R1000-2K: R1000 Seal Kit
- ST003AS: Suction Tube Set